869 Order Status Inquiry

Functional Group ID=RS

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Order Status Inquiry Transaction Set (869) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to request all pertinent information relative to an entire purchase order, selected line items on a purchase order, or selected products/services on a purchase order. Inquiry can also be made for all or a selected portion of the customer's ordered items, all or a selected portion of the customer's unshipped items, or all or a selected portion of the customer's shipped items.

Notes:

- 1. Organizations use this transaction set to request cancellation of previously submitted requisitions, regardless of current transaction status. Authorized organizations use this transaction to request mass or universal cancellation of requisitions.
- 2. Use a single occurrence of this transaction set to exchange single or multiple transactions between a single activity and a single or multiple supply sources.
- 3. DoD logistics users should refer to the Defense Logistics Management System (DLMS) Supplement to the Federal Implementation Convention (IC) available at URL: http://www.dla.mil/j-6/dlmso. The DLMS Supplement provides specific business rules, conditions, and authorized codes necessary for appropriate use of this IC within the DLMS

Heading:

Page	Pos.	Seg.		Req.		Loop	Notes and
No.	No.	<u>ID</u>	<u>Name</u>	Des.	Max.Use	Repeat	Comments
3	010	ST	Transaction Set Header	M	1		
4	020	BSI	Beginning Segment for Order Status Inquiry	M	1		
Not Used	030	NTE	Note/Special Instruction	O	100		

Detail:

Page <u>No.</u>	Pos. No.	Seg. <u>ID</u>	Name	Req. Des.	Max.Use	Loop Repeat	Notes and Comments
			LOOP ID - HL			>1	
6	010	HL	Hierarchical Level	M	1		
Not Used	020	PRF	Purchase Order Reference	O	1		
7	030	DTM	Date/Time Reference	O	10		
9	050	LIN	Item Identification	O	>1		
Not Used	060	PID	Product/Item Description	O	1000		
Not Used	070	MEA	Measurements	O	40		
12	080	QTY	Quantity	O	1		

14 1	100 G	3F	Furnished Goods and Services	O	1		
			LOOP ID - REF			>1	
15 1	105 R	REF	Reference Identification	O	1		
Not Used 1	108 D	OTM	Date/Time Reference	O	>1		
			LOOP ID - N1			>1	
17 1	110 N	V 1	Name	O	1		
Not Used 1	120 N	N 2	Additional Name Information	O	2		
Not Used 1	130 N	N 3	Address Information	O	2		
Not Used 1	140 N	N 4	Geographic Location	O	1		
Not Used 1	150 R	REF	Reference Identification	O	12		
Not Used 1	160 Pl	PER	Administrative Communications Contact	O	3		
			LOOP ID - LM			>1	
19 1	170 L	.M	Code Source Information	O	1		
20 1	180 L	.Q	Industry Code	M	>1		
			LOOP ID - FA1			>1	
21 1	190 F	FA1	Type of Financial Accounting Data	O	1		
22 2	200 F	FA2	Accounting Data	M	>1		

Summary:

Page	Pos.	Seg.		Req.		Loop	Notes and
No.	No.	<u>ID</u>	<u>Name</u>	Des.	Max.Use	Repeat	Comments
Not Used	010	CTT	Transaction Totals	O	1		n1
24	020	SE	Transaction Set Trailer	M	1		

Transaction Set Notes

1. CTT01 is the number of HL segments.

Segment: ST Transaction Set Header

Position: 010

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose:

To indicate the start of a transaction set and to assign a control number

Syntax Notes:

Semantic Notes:

The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

Data Element Summary

	Ref.	Data				
	Des.	Element	<u>Name</u>		<u>Att</u>	<u>ributes</u>
M	ST01	143	Transaction	Set Identifier Code	M	ID 3/3
			Code uniquely identifying a Transaction Set			
			869	Order Status Inquiry		
M	ST02	329	Transaction Set Control Number		M	AN 4/9
			Identifying o	control number that must be unique wit	hin the tren	saction so

Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

A unique number assigned by the originator of the transaction set, or the originator's application program. Segment: \mathbf{BSI} Beginning Segment for Order Status Inquiry

Position: 020

Loop:

Level: Heading Usage: Mandatory

Max Use: 1

Purpose: To indicate the beginning of an order status inquiry and provide the type of

customer status inquiry

Syntax Notes:

Semantic Notes: 1 BSI01 is a status inquiry reference number.

2 BSI02 is date of the inquiry.

3 BSI06 is time of the inquiry.

		Data Element Summary					
Ref.	Data						
Des.	Element	<u>Name</u>	Att	<u>ributes</u>			
BSI01	127	Reference Identification	M	AN 1/30			
		Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					
		Use Code "Z" for this data element to satisfy mandatory requirements.	X12	syntax			
BSI02	373	Date	M	DT 8/8			
		Date expressed as CCYYMMDD					
		This date corresponds to the Universal Time Coordinate (UTC).					
BSI03	847	Order/Item Code	M	ID 1/2			
		Code identifying a group of orders and items					
		PP Selected Orders - Selected Items					
BSI04	848	Product/Date Code	O	ID 1/2			
		Code indicating whether the inquiry is based on products a parameters	and/o	or date			
BSI05	849	Location Code	0	ID 1/2			
		Code indicating the selection of a supplier's and/or buyer's group of locations	s loca	ations or			
BSI06	337	Time	O	TM 4/8			
		Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where $H = hours (00-23)$, $M = minutes (00-59)$, $S = integer seconds (00-59)$ and $DD = decimal seconds$; decimal seconds are expressed as follows: $D = tenths (0-9)$ and $DD = hundredths$					
		1. Express the originating activity's time of transaction set preparation in UTC.					
		2. Express time in a four-position (HHMM) format.					
	Des. BSI01 BSI02 BSI03 BSI04	Des. Element BSI01 127 BSI02 373 BSI03 847 BSI04 848 BSI05 849	Ref. Des. Element BSI01 127 Reference Identification Reference information as defined for a particular Transact specified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory requirements. BSI02 373 Date Date expressed as CCYYMMDD This date corresponds to the Universal Time Coordinate BSI03 847 Order/Item Code Code identifying a group of orders and items PP Selected Orders - Selected Items BSI04 848 Product/Date Code Code indicating whether the inquiry is based on products a parameters BSI05 849 Location Code Code indicating the selection of a supplier's and/or buyer's group of locations BSI06 337 Time Time expressed in 24-hour clock time as follows: HHMM or HHMMSSD, or HHMMSSDD, where H = hours (00-2 (00-59), S = integer seconds (00-59) and DD = decimal se seconds are expressed as follows: D = tenths (0-9) and DE (00-99) I. Express the originating activity's time of transaction s in UTC.	Ref. Data Des. Element BSI01 127 Reference Identification Reference information as defined for a particular Transaction Sepcified by the Reference Identification Qualifier Use Code "Z" for this data element to satisfy mandatory X12 requirements. BSI02 373 Date M Date expressed as CCYYMMDD This date corresponds to the Universal Time Coordinate (UT) BSI03 847 Order/Item Code Code identifying a group of orders and items PP Selected Orders - Selected Items BSI04 848 Product/Date Code Code indicating whether the inquiry is based on products and/or parameters BSI05 849 Location Code Code indicating the selection of a supplier's and/or buyer's locations BSI06 337 Time O Time expressed in 24-hour clock time as follows: HHMM, or I or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M (00-59), S = integer seconds (00-59) and DD = decimal second seconds are expressed as follows: D = tenths (0-9) and DD = h (00-99) I. Express the originating activity's time of transaction set print UTC.			

Must Use	BSI07	353	Transaction Set Purpose Code		O	ID 2/2
			Code identifying	purpose of transaction set		
			00	Original		
			77	Simulation Exercise		
Must Use	BSI08	640	Transaction Typ	pe Code	O	ID 2/2
			Code specifying	the type of transaction		
			AC	Requisition Cancellation		
	BSI09	306	Action Code		O	ID 1/2
			Code indicating t	type of action		
			AW	Mass Cancellation		
			C	Cancelled		
				Use for universal cancellation when requisitions must be cancelled.	n all a	pplicable

Segment: **HL** Hierarchical Level

Position: 010

Loop: HL Mandatory

Level: Detail
Usage: Mandatory

Max Use: 1

Purpose: To identify dependencies among and the content of hierarchically related groups of

data segments

Syntax Notes:

Semantic Notes:

Notes:

- 1. The transaction set hierarchical data structure is organization information followed by transaction specific information.
- 2. For universal or mass cancellations use ONLY a single 2/HL/010 address loop.
- 3. For individual cancellations use a 2/HL/010 address loop followed by one or more transaction loops.

Data Element Summary

	Ref.	Data						
	Des.	Element	<u>Name</u>		<u>Attributes</u>			
M	HL01	628	Hierarchical ID N	Number	M AN 1/12			
			A unique number assigned by the sender to identify a particular da segment in a hierarchical structure					
			· ·	010 loop iteration, cite 1. In each subse incrementally by 1.	h subsequent loop			
	HL02	734	Hierarchical Pare	ent ID Number	O AN 1/12			
				ber of the next higher hierarchical data a g described is subordinate to	segment that the			
			address loop with content is the sequence loop iteration and	2/HL/010 transaction loop iteration to which the current loop is associated. It then the 2/HL/01 serves as the cross-reference between the data and associated transactions.	Data element 10 organization			
M	HL03	735	Hierarchical Lev	el Code	M ID 1/2			
			Code defining the	characteristic of a level in a hierarchical	l structure			
			V	Address Information				
				Use in every 2/HL/010 address loop i	teration.			
			W	Transaction Reference Number				
				Use in every 2/HL/010 transaction lo	op iteration.			
Not Used	HL04	HL04 736	Hierarchical Chil	d Code	O ID 1/1			
			Code indicating if there are hierarchical child data segments subordina					

the level being described

Segment: DTM Date/Time Reference

Position: 030

Loop: HL Mandatory

Level: Detail
Usage: Optional
Max Use: 10

Purpose: To specify pertinent dates and times

Syntax Notes: 1 At least one of DTM02 DTM03 or DTM05 is required.

2 If DTM04 is present, then DTM03 is required.

3 If either DTM05 or DTM06 is present, then the other is required.

Semantic Notes:

Notes: 1. Must use multiple repetitions in the 2/HL/010 universal or mass cancellation

address loop to identify dates associated with the transaction.

2. Must use once in individual cancellation 2/HL/010 transaction loops to

identify the transaction date.

	Ref.	Data						
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>		
M	DTM01	374	Date/Time Qu	alifier	M	ID 3/3		
			Code specifying	g type of date or time, or both date and time	э			
			007	Effective				
			097	Transaction Creation				
			196	Start				
				Use to indicate the range start date, i	nclu	sive.		
			197	End				
				Use to indicate the range end date, in	clus	ive.		
			996	Required Delivery				
Must Use	DTM02	373	Date		X	DT 8/8		
			Date expressed	as CCYYMMDD				
Not Used	DTM03	337	Time		X	TM 4/8		
			Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)					
Not Used	DTM04	623	Time Code		O	ID 2/2		
			Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow					
Not Used	DTM05	1250	Date Time Per	riod Format Qualifier	X	ID 2/3		

Not Used DTM06 1251 Code indicating the date format, time format, or date and time format

X AN 1/35

Expression of a date, a time, or range of dates, times or dates and times

Segment: LIN Item Identification

Position: 050

Loop: HL Mandatory

Level: Detail
Usage: Optional
Max Use: >1

Purpose: To specify basic item identification data

Syntax Notes: 1 If either LIN04 or LIN05 is present, then the other is required.

- 2 If either LIN06 or LIN07 is present, then the other is required.
- 3 If either LIN08 or LIN09 is present, then the other is required.
- 4 If either LIN10 or LIN11 is present, then the other is required.
- 5 If either LIN12 or LIN13 is present, then the other is required.
- 6 If either LIN14 or LIN15 is present, then the other is required.
- If either LIN16 or LIN17 is present, then the other is required.
- **8** If either LIN18 or LIN19 is present, then the other is required.
- 9 If either LIN20 or LIN21 is present, then the other is required.
- 10 If either LIN22 or LIN23 is present, then the other is required.
- 11 If either LIN24 or LIN25 is present, then the other is required.
- 12 If either LIN26 or LIN27 is present, then the other is required.
- 13 If either LIN28 or LIN29 is present, then the other is required.
- **14** If either LIN30 or LIN31 is present, then the other is required.

Semantic Notes: 1 LIN01 is the line item identification

Notes: Use in 2/HL/010 transaction loops to identify the material. Do not use in the

2/HL/010 address loop.

	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
Not Used	LIN01	350	Assigned Identific	cation	O	AN 1/20
			Alphanumeric charset	racters assigned for differentiation with	in a t	ransaction
M	LIN02	235	Product/Service I	D Qualifier	M	ID 2/2
			Code identifying the Product/Service ID	ne type/source of the descriptive number (234)	r use	d in
			A1	Plant Equipment Number		
			A2	Department of Defense Identification	Code	e (DoDIC)
			A4	Subsistence Identification Number		
			F4	Series Identifier		
			FB	Form Number		
			FS	National Stock Number		
			FT	Federal Supply Classification		
			MG	Manufacturer's Part Number		
			MN	Model Number		
			SN	Serial Number		

			YP	Publication Number		
			ZZ	Mutually Defined		
M	LIN03	234	Product/Serv	vice ID	M	AN 1/48
			Identifying nu	Identifying number for a product or service		
	LIN04	235	Product/Serv	Product/Service ID Qualifier		ID 2/2
			Code identify Product/Servi	ring the type/source of the descriptive numice ID (234)	ıber use	d in
			CN	Commodity Name		
			ZB	Commercial and Government Entit	y (CAC	GE) Code
	LIN05	234	Product/Serv	vice ID	X	AN 1/48
			Identifying nu	umber for a product or service		
Not Used	LIN06	235	Product/Serv	vice ID Qualifier	X	ID 2/2
			Code identify Product/Servi	ring the type/source of the descriptive numice ID (234)	iber use	d in
Not Used	LIN07	234	Product/Serv	vice ID	X	AN 1/48
			Identifying nu	umber for a product or service		
Not Used	LIN08	235	Product/Serv	Product/Service ID Qualifier		ID 2/2
			Code identify Product/Servi	ring the type/source of the descriptive numice ID (234)	iber use	d in
Not Used	LIN09	234	Product/Serv	vice ID	X	AN 1/48
			Identifying nu	Identifying number for a product or service		
Not Used	LIN10	235	Product/Serv	vice ID Qualifier	X	ID 2/2
			Code identify Product/Servi	ring the type/source of the descriptive numice ID (234)	ıber use	d in
Not Used	LIN11	234	Product/Serv	vice ID	X	AN 1/48
			Identifying nu	umber for a product or service		
Not Used	LIN12	235	Product/Serv	vice ID Qualifier	X	ID 2/2
			Code identify Product/Servi	ring the type/source of the descriptive numice ID (234)	ıber use	d in
Not Used	LIN13	234	Product/Serv	vice ID	X	AN 1/48
			Identifying nu	umber for a product or service		
Not Used	LIN14	235	Product/Serv	vice ID Qualifier	X	ID 2/2
			Code identify Product/Servi	ring the type/source of the descriptive numice ID (234)	ıber use	d in
Not Used	LIN15	234	Product/Serv	vice ID	X	AN 1/48
			Identifying nu	umber for a product or service		
Not Used	LIN16	235	Product/Serv	vice ID Qualifier	X	ID 2/2
			Code identify Product/Servi	ring the type/source of the descriptive numice ID (234)	iber use	ed in
Not Used	LIN17	234	Product/Serv	vice ID	X	AN 1/48
			Identifying no	umber for a product or service		

Not Used	LIN18	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	er use	ed in
Not Used	LIN19	234	Product/Service ID	X	AN 1/48
			Identifying number for a product or service		
Not Used	LIN20	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	er use	ed in
Not Used	LIN21	234	Product/Service ID	X	AN 1/48
			Identifying number for a product or service		
Not Used	LIN22	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	er use	ed in
Not Used	LIN23	234	Product/Service ID	X	AN 1/48
			Identifying number for a product or service		
Not Used	LIN24	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	er use	ed in
Not Used	LIN25	234	Product/Service ID	X	AN 1/48
			Identifying number for a product or service		
Not Used	LIN26	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	er use	ed in
Not Used	LIN27	234	Product/Service ID	X	AN 1/48
			Identifying number for a product or service		
Not Used	LIN28	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	r use	ed in
Not Used	LIN29	234	Product/Service ID	X	AN 1/48
			Identifying number for a product or service		
Not Used	LIN30	235	Product/Service ID Qualifier	X	ID 2/2
			Code identifying the type/source of the descriptive number Product/Service ID (234)	r use	ed in
Not Used	LIN31	234	Product/Service ID	X	AN 1/48
			Identifying number for a product or service		

Segment: QTY Quantity

Position: 080

Loop: HL Mandatory

Level: Detail
Usage: Optional

Max Use: 1

Purpose: To specify quantity information

Syntax Notes: 1 At least one of QTY02 or QTY04 is required.

2 Only one of QTY02 or QTY04 may be present.

Semantic Notes: 1 QTY04 is used when the quantity is non-numeric.

Notes: Use in 2/HL/010 transaction loops to identify the quantity to be cancelled if less

than the quantity remaining.

			Data Element Summary		
	Ref.	Data			
	Des.	Element	<u>Name</u>	Att	<u>ributes</u>
\mathbf{M}	QTY01	673	Quantity Qualifier	M	ID 2/2
			Code specifying the type of quantity		
			QC Quantity Disapproved		
Must Use	QTY02	380	Quantity	X	R 1/15
			Numeric value of quantity		
			Express as whole number with no decimals.		
	QTY03	C001	Composite Unit of Measure	0	
			To identify a composite unit of measure (See Figures Appexamples of use)	pend	ix for
M	C00101	355	Unit or Basis for Measurement Code	M	ID 2/2
			Code specifying the units in which a value is being expres in which a measurement has been taken	sed,	or manner
			Use to identify the unit of issue for material requisitione	d.	
			Refer to 004010 Data Element Dictionary for acceptable of	code	values.
Not Used	C00102	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00103	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00104	355	Unit or Basis for Measurement Code	O	ID 2/2
			Code specifying the units in which a value is being expres in which a measurement has been taken	sed,	or manner
Not Used	C00105	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00106	649	Multiplier	O	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00107	355	Unit or Basis for Measurement Code	O	ID 2/2

			Code specifying the units in which a value is being expre in which a measurement has been taken	ssed,	or manner
Not Used	C00108	1018	Exponent	O	R 1/15
			Power to which a unit is raised		
Not Used	C00109	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00110	355	Unit or Basis for Measurement Code	0	ID 2/2
			Code specifying the units in which a value is being expre in which a measurement has been taken	ssed,	or manner
Not Used	C00111	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00112	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	C00113	355	Unit or Basis for Measurement Code	0	ID 2/2
			Code specifying the units in which a value is being expre in which a measurement has been taken	ssed,	or manner
Not Used	C00114	1018	Exponent	0	R 1/15
			Power to which a unit is raised		
Not Used	C00115	649	Multiplier	0	R 1/10
			Value to be used as a multiplier to obtain a new value		
Not Used	QTY04	61	Free-Form Message	X	AN 1/30

Segment: **GF** Furnished Goods and Services

Position: 100

Loop: HL Mandatory

Level: Detail
Usage: Optional

Max Use: 1

Purpose: To specify information related to furnished material, equipment, property,

information, and services

Syntax Notes: 1 If either GF01 or GF02 is present, then the other is required.

If either GF05 or GF06 is present, then the other is required.
If either GF08 or GF09 is present, then the other is required.

Semantic Notes: 1 GF04 is the value of government-furnished property.

Notes: Use in all Government Furnished Material (GFM) related transactions.

			Data	Element Summary		
	Ref.	Data				
	Des.	Element	<u>Name</u>		<u>Att</u>	<u>ributes</u>
	GF01	128	Reference I	dentification Qualifier	X	ID 2/3
			Code qualify	ying the Reference Identification		
			W3	Manufacturing Directive Number		
	GF02	127	Reference I	dentification	X	AN 1/30
				nformation as defined for a particular Transact the Reference Identification Qualifier	ction S	Set or as
	GF03	367	Contract N	umber	O	AN 1/30
			Contract nui	mber		
Not Used	GF04	782	Monetary A	Monetary Amount		R 1/18
			Monetary ar	nount		
Not Used	GF05	128	Reference I	dentification Qualifier	X	ID 2/3
			Code qualify	ying the Reference Identification		
Not Used	GF06	127	Reference I	dentification	X	AN 1/30
				nformation as defined for a particular Transacture the Reference Identification Qualifier	ction S	Set or as
	GF07	328	Release Nu	mber	O	AN 1/30
				ntifying a release against a Purchase Order pes involved in the transaction	reviou	sly placed
			Use to ident	ify the call or order number when using GI	⁷ 03.	
Not Used	GF08	128	Reference I	dentification Qualifier	X	ID 2/3
			Code qualify	ying the Reference Identification		
Not Used	GF09	127	Reference I	dentification	X	AN 1/30
				nformation as defined for a particular Transacture the Reference Identification Qualifier	ction S	Set or as

Segment: REF Reference Identification

Position: 105

Loop: REF Optional

Level: Detail Usage: Optional

Max Use: 1

Purpose: To specify identifying information

Syntax Notes: 1 At least one of REF02 or REF03 is required.

2 If either C04003 or C04004 is present, then the other is required.
3 If either C04005 or C04006 is present, then the other is required.

Semantic Notes: 1 REF04 contains data relating to the value cited in REF02.

Notes: Use multiple repetitions in 2/HL/010 transaction loops to identify the transaction

reference number and ancillary information related to the requisition.

			Da	ta Element Summary		
	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
M	REF01	128	Reference	Identification Qualifier	\mathbf{M}	ID 2/3
			Code quali	ifying the Reference Identification		
			Following	is a list of preferred codes.		
			CT	Contract Number		
			IT	Internal Customer Number		
			TN	Transaction Reference Number		
			W4	Procurement Request Number		
			Refer to 00	04010 Data Element Dictionary for acceptable of	code	values.
Must Use	REF02	127	Reference	Identification	X	AN 1/30
				information as defined for a particular Transactory the Reference Identification Qualifier	tion S	Set or as
Not Used	REF03	352	Description	on	X	AN 1/80
			A free-form	m description to clarify the related data element	s and	their
	REF04	C040	Reference	Identifier	O	
				y one or more reference numbers or identification of the Reference Qualifier	on nu	mbers as
M	C04001	128	Reference	Identification Qualifier	M	ID 2/3
			Code quali	ifying the Reference Identification		
			83	Extended (or Exhibit) Line Item Num	ber (ELIN)
			C7	Contract Line Item Number		
			OQ	Order Number		
			W8	Suffix		
M	C04002	127	Reference	Identification	M	AN 1/30
			Reference	information as defined for a particular Transact	tion S	Set or as

			specified by the Reference Identification Qualifier		
	C04003	128	Reference Identification Qualifier X ID		ID 2/3
			Code qualifying the Reference Identification		
			For valid codes, refer to REF04-C04001.		
			Refer to 004010 Data Element Dictionary for acceptable	code	values.
	C04004	127	Reference Identification	\mathbf{X}	AN 1/30
			Reference information as defined for a particular Transa specified by the Reference Identification Qualifier	ction S	Set or as
Not Used	C04005	128	Reference Identification Qualifier	X	ID 2/3
			Code qualifying the Reference Identification		
Not Used	C04006	127	Reference Identification	X	AN 1/30
			Reference information as defined for a particular Transa specified by the Reference Identification Qualifier	ction S	Set or as

Segment: N1 Name

Position: 110

Loop: N1 Optional

Level: Detail Usage: Optional

Max Use: 1

Purpose: To identify a party by type of organization, name, and code

Syntax Notes: 1 At least one of N102 or N103 is required.

2 If either N103 or N104 is present, then the other is required.

Semantic Notes:

Notes: Must use this 2/N1/110 loop in the 2/HL/010 address loop to identify the

organization originating the transaction set.

			Data Elem	ent Summary	
	Ref.	Data			
	Des.	Element	<u>Name</u>		<u>Attributes</u>
M	N101	98	Entity Identifier (Code	M ID 2/3
			Code identifying an organizational entity, a physical location an individual		ion, property or
			Following is a list	of preferred codes.	
			AN Authorized Fr		
				iversal cancellation requests to	
			••	zation authorized to request the	
			mass or universal	cancellation.	
			CN Consignee		
			OB Ordered By		
			Z1 Party to Receiv	e Status	
			Z4 Owning Invent	ory Control Point	
			Z5 Management C	Control Activity	
			ZG Present Addres		
			ZS Monitoring Pa	rty	
			Refer to 004010 D	ata Element Dictionary for acceptable of	code values.
Not Used	N102	93	Name		X AN 1/60
			Free-form name		
Must Use	N103	66	Identification Cod	le Qualifier	X ID 1/2
			Code designating to Identification Code	he system/method of code structure use e (67)	ed for
			1	D-U-N-S Number, Dun & Bradstreet	
			9	D-U-N-S+4, D-U-N-S Number with F Suffix	Four Character
			10	Department of Defense Activity Addr (DODAAC)	ess Code
			A2	Military Assistance Program Address	Code (MAPAC)

			M4	Department of Defense Routing Iden	tifier	Code (RIC)
Must Use	N104	67	Identification Co	de	X	AN 2/80
			Code identifying	a party or other code		
Not Used	N105	706	Entity Relationsl	nip Code	O	ID 2/2
			Code describing e	entity relationship		
	N106	98	Entity Identifier	Code	0	ID 2/3
			Code identifying an individual	an organizational entity, a physical loca	tion,	property or
			FR	Message From		
				Use with the appropriate 2/N101/110 indicate the organization cited in N1 originating the transaction set.		
			TO	Message To		
				Use with the appropriate 2/N101/110 indicate that the organization cited in receiving the transaction.		

Segment: LM Code Source Information

Position: 170

Loop: LM Optional

Level: Detail
Usage: Optional

Max Use: 1

Purpose: To transmit standard code list identification information

Syntax Notes: Semantic Notes:

Notes: Use the 2/LM/170 loop to identify coded information maintained in department

or agency documentation.

			Dutu	Element Summary		
	Ref.	Data				
	Des.	Element	<u>Name</u>		Att	<u>ributes</u>
M	LM01	559	Agency Qua	lifier Code	\mathbf{M}	ID 2/2
			Code identify	ring the agency assigning the code values		
			DF	Department of Defense (DoD)		
Not Used	LM02	822	Source Subg	ualifier	0	AN 1/15
			A reference t Qualifier	hat indicates the table or text maintained by t	he So	ource

Segment: LQ Industry Code

Position: 180

Loop: LM Optional

Level: Detail
Usage: Mandatory

Max Use: >1

Purpose: Code to transmit standard industry codesSyntax Notes: 1 If LQ01 is present, then LQ02 is required.

Semantic Notes:

Notes: Use to identify codes, as appropriate, consistent with management information

requirements.

Data Element Summary

	Ref.	Data		
	Des.	Element	<u>Name</u>	<u>Attributes</u>
Must Use	LO01	1270	Code List Qualifier Code	O ID 1/3

Code identifying a specific industry code list

Following is a list of preferred codes.

0 Document Identification Code

78 Project Code

79 Priority Designator Code

80 Advice Code 99 Purpose Code

A9 Supplemental Data

AJ Utilization Code

AK Distribution Code

AL Special Requirements Code

Use to identify precedence, special handling, and

processing requirements.

COG Cognizance Symbol

DE Signal Code

DF Media and Status Code IMC Item Management Code MCC Material Control Code

SMI Special Material Identification Code

Refer to 004010 Data Element Dictionary for acceptable code values.

Must Use LQ02 1271 Industry Code X AN 1/30

Code indicating a code from a specific industry code list

Segment: FA1 Type of Financial Accounting Data

Position: 190

Loop: FA1 Optional

Level: Detail
Usage: Optional
Max Use: 1

Purpose: To specify the organization controlling the content of the accounting citation, and

the purpose associated with the accounting citation

Syntax Notes:

Semantic Notes: 1 FA101 Identifies the organization controlling the assignment of financial

accounting information.

2 FA102 Identifies the purpose of the accounting allowance or charge

information.

	Dof	Doto	Dutu Liem	one Summary		
	Ref.	Data Floment	Nama		A 44.	ributes
M	<u>Des.</u> FA101	<u>Element</u> 559	Name Agency Qualifier			ID 2/2
IVI	FAIUI	339			IVI	ID 2/2
			, ,	ne agency assigning the code values		
			DF	Department of Defense (DoD)		
				Use to indicate that the Component or funds is a Department of Defense age including DLA.	_	· ·
			DN	Department of the Navy		
				Includes the United States Marine Co.	rps.	
			DY	Department of Air Force		
			DZ	Department of Army		
			FG	Federal Government		
Must Use	FA102	1300	Service, Promotio	n, Allowance, or Charge Code	0	ID 4/4
			Code identifying th	ne service, promotion, allowance, or char	ge	
			A170	Adjustments		
			A520	Base Charge		
			C930	Export Shipping Charge		
			D340	Goods and Services Charge		
			F060	Other Accessorial Service Charge		
			F560	Premium Transportation		
			I260	Transportation Direct Billing		
			R060	Packing, Crating, and Handling Charge	;	
Not Used	FA103	248	Allowance or Cha	rge Indicator	0	ID 1/1
			Code which indicate	tes an allowance or charge for the service	e sp	ecified

Segment: FA2 Accounting Data

Position: 200

Loop: FA1 Optional

Level: Detail
Usage: Mandatory

Max Use: >1

Purpose: To specify the detailed accounting data

Syntax Notes: Semantic Notes:

Notes: Use this 2/FA2/200 segment to identify the various components of the line of

accounting.

			Data Eleme	ent Summary	
	Ref.	Data			
	Des.	Element	Name		Attributes
M	FA201	1196	Breakdown Struc		M ID 2/2
				details relating to a reporting breakdown	n structure tree
			18	Funds Appropriation	
			A1	Department Indicator	
			A2	Transfer from Department	
			A3	Fiscal Year Indicator	
			A4	Basic Symbol Number	
			A5	Sub-class	
			A6	Sub-Account Symbol	
			B1	Budget Activity Number	
			B2	Budget Sub-activity Number	
			B5	Fund Code	
			BL	Billings	
				Use to indicate the Government IMP.	AC card
				number under which payment for thi	s obligation
				will be accomplished.	
			C1	Program Element	
			C2	Project Task or Budget Subline	
			C3	Budget Restriction	
			D1	Defense Agency Allocation Recipient	
			D2	Defense Agency Sub-allocation Recip	ient
			D3	Component Allocation Recipient	
			D4	Component Sub-allocation Recipient	
			D5	Allotment Recipient	
			D6	Sub-allotment Recipient	
			D7	Work Center Recipient	
			E1	Major Reimbursement Source Code	

M

		E2	Detail Reimbursement Source Code
		E3	Customer Indicator
		F1	Object Class
		F2	Object Sub-class
		F3	Government or Public Sector Identifier
		F4	Country Code
		G1	Program or Planning Code
		G2	Special Interest Code or Special Program Cost Code
		H1	Cost Code
		H2	Labor Type Code
		Н3	Cost Allocation Code
		H4	Classification Code
		I1	Abbreviated Department of Defense (DoD) Budget and Accounting Classification Code (BACC)
		J1	Document or Record Reference Number
		L1	Accounting Installation Number
			Use to indicate the Authorization Accounting Authority (AAA)/Accounting and Disbursing Station Number (ADSN)/Fiscal Station Number (FSN).
		N1	Transaction Type
		P1	Disbursing Station Number
		P2	International Balance of Payments (IBOP) Code
		P3	Voucher Number
		ZZ	Mutually Defined
FA202	1195	Financial Inform	ation Code M AN 1/80
		Code representing	financial accounting information

Segment: **SE** Transaction Set Trailer

Position: 020

Loop:

Level: Summary Usage: Mandatory

Max Use: 1

Purpose: To indicate the end of the transaction set and provide the count of the transmitted

segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Semantic Notes:

M	Ref. Des. SE01	Data Element 96	Name Number of Included Segments		ributes N0 1/10
			Total number of segments included in a transaction set inc SE segments	ludir	ng ST and
M	SE02	329	Transaction Set Control Number	M	AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set		
			Cite the same number as the one cited in ST02.		